


EQUINE REGIONAL SCREEN COMPONENTS

SOUTHEAST, UNITED STATES



Arkansas
Alabama
South Carolina
Northern Florida
Georgia
Louisiana
Mississippi
Oklahoma
East Texas



Fungi	Weeds	Trees	Indoors	Foods
Smut Mix	Ragweed	Cottonwood/Aspen	Pine Shavings	Alfalfa
Curvularia	Pigweed/Careless Weed	Willow	Redwood Shavings	Barley
Cladosporium	Lamb's Quarters	Ash	Cedar Shavings	Corn
Helminthosporium	Cocklebur	Juniper/Cedar	Leather	Cottonseed
Stemphylium	English Plantain	Box Elder/Maple	Sisal	Molasses
Candida Albicans	Dock/Sheep Sorrel	Oak	Wool	Milo
Monilia	Sage	Elm	Cotton	Oats
Cephalosporium	Marsh Elder	Pecan/Hickory		Pasture (Mix)
Mucor Mix		Walnut		Soybean
Trichoderma		Mulberry	Insects	Wheat
Rhizopus	Grasses	Sycamore	Cockroach	Rice Bran
Chaetomium	Blue/June Grass	Hackberry	Culicoides	Beet Pulp
Phoma	Orchard		Mosquito	
Rhodotorula	Fescue	Dust	Stable Fly	
Botrytis	Bermuda	Barn Dust	Deer Fly	Grains
Epicoccum	Redtop		Hose Fly	Corn Pollen
Fusarium	Timothy	Epidermals	Fire Ant	Oat Pollen
Pullularia	Ryegrass	Mouse Epithelium		Wheat Pollen
Aspergillus	Bahia			Barley Pollen
Nigrospora	Johnson Grass			
Alternaria	Vernal			
Penicillium				
Saccharomyces				
Cephalothecium				