

CANINE REGIONAL SCREEN COMPONENTS

MIDATLANTIC, UNITED STATES



Delaware
 D. C.
 Kentucky
 Maryland
 North Carolina
 Tennessee
 Virginia
 West Virginia



Fungi	Epidermals	Trees	Indoors	Foods
Aspergillus	Cat Hair	Cottonwood/Aspen	Wool	Beef
Alternaria	Dog Hair	Willow	Cotton	Salmon
Helminthosporium	Horse Hair	Ash	Kapok	Poultry Mix
Cladosporium	Mouse Epi	Juniper/Cedar	Pyrethrum	Pork
Penicillium	Mixed Feathers	Box Elder/Maple	Orris Root	Venison
Rhizopus		Oak	Sisal	Eggs
Smut Mix	Weeds	Elm	Human Hair/Dander	Milk
Stemphylium	Ragweed	Pecan/Hickory	House Dust	Soybean
Curvularia	Pigweed/Careless Weed	Walnut	D. pteronyssinus	Corn
Candida Albicans	Lamb's Quarters	Mulberry	D. farinae	Wheat
Pullularia	Cocklebur	Sycamore		Lamb
Fusarium	Marsh Elder/Poverty Weed	Birch	Fleas	Rice
Nigrospora	English Plantain	Grasses	Fleas	Peanut
Saccaromyces	Dock/Sheep Sorrel	Blue/June Grass		Flax
Phoma	Sage	Orchard	Staph	Oat
Trichophyton	Waterhemp	Fescue	Staph	Barley
		Bermuda		White Potato
Insects		Redtop	Malessezia	Brewer's Yeast
Cockroach		Timothy	Malessezia	Kelp
Mosquito		Ryegrass		Alfalfa
House Fly		Johnson Grass		Fish Mix
		Vernal		Sweet Potato
		Bahia		Green Pea
				Duck